

## THE UNITED STAYLES OF ANTERIOR

TO ALL TO WHOM THESE PRESENTS SHALL COME:

## Pioneer Hi-Bred International, Inc.

Whereas, there has been presented to the

#### Secretary of Agriculture

An application requesting a certificate of protection for an alleged distinct variety of sexually reproduced, or tuber propagated plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the PLANT VARIETY PROTECTION OFFICE, in the applicant(s) indicated in the said copy, and Whereas, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

Now, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of TWENTY years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, offering it for sale, or reproducing it, or importing it, or exporting it, or conditioning it for agation, or stocking it for any of the above purposes, or using it in producing a hybrid or different therefrom, to the extent provided by the PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS ND, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'PHHHN'

Vilval


In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of September, in the year two thousand and ten.

Attest:

Berz

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Secretary of Agriculture



SIGNATURE OF OWNER		SIGNATURE OF OWNER  Steen & Andrews	1.00
NAME (Please print or type)		NAME (Please print or type)  Steven R. Anderson	www
CAPACITY OR TITLE	DATE	Research Scientist 6-15-20	207

#### 200700360

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) NEW: With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130.97.131, 97.175(h) of the Regulations and Rules of Practice.)

Plant Variety Protection Office

Telephone: (301) 504-5518 FAX: (301) 504-5291

General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

#### SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and **provide evidence** that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, **Seed Regulatory and Testing Branch**, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

#### ITEM

19a Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively:
  - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d.Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

February 1, 2007 (Spain), February 2, 2008 (Italy) November 1, 2006 (Canada, United States)

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

USPTO 1/31/2007 Application No. 11/669,317 Patent No. 7582815, CPVO 7/17/2007 Grant No. 22188.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status or familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, DC 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382125 (TDD). USDA is an equal opportunity provider and employer.



2010 AUG 25 PM 4:58



#### Exhibit A. Origin and Breeding History for PHHHN

Pedigree: PH6HR/PH964)XA7121321X

Pioneer Line PHHHN, Zea mays L., a yellow endosperm corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PH6HR (PVP Certificate No. 200300234) X PH964 using the pedigree method of plant breeding. Varieties PH6HR and PH964 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Variety PH964 was derived by pedigree selection from the single cross hybrid PH12C (Certificate No. 9800384) X PH06B. Variety PH06B traces back in derivation to MO17, PHN82 (Certificate No. 8900317) and PHR03 (Certificate No. 9100097). Selfing was practiced from the above hybrid for 8 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Garden City, Kansas as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PHHHN has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 7 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 7 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PHHHN.

The criteria used in the selection of PHHHN were yield, both per se and in hybrid combinations. Late season plant health, grain quality, and stalk lodging resistance, were important criteria considered during selection. Other selection criteria include: ability to germinate in adverse conditions, disease and insect resistance, pollen yield and tassel size.

Exhibit A: Developmental History for PHHHN

Pedigree Grown Season/Year	Inbreeding Level of Pedigree Grown
PH6HR	F0
PH964	F0
PH6HR/PH964 1999	F1
PH6HR/PH964)X 2000	F2
PH6HR/PH964)XA7 2001	F3
PH6HR/PH964)XA71 2001	F4
PH6HR/PH964)XA712 2002	F5
PH6HR/PH964)XA7121 2002	F6
PH6HR/PH964)XA71213 2003	F7
PH6HR/PH964)XA712132 2003	F8
PH6HR/PH964)XA7121321 2004	F9
PH6HR/PH964)XA7121321X	F10 (SEED)

<sup>\*</sup>PHHHN was selfed and ear-rowed from F3 through F9 generation. #Uniformity and stability were established from F5 through F9 generation and beyond when seed supplies were increased.

2007 JUN 21 aH10:11

#### **Exhibit B: Novelty Statement**

Variety PHHHN mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PH6HR (PVP Certificate No. 200300234). Table 1 shows two sample t-tests on data collected primarily in Johnston and Dallas Center, Iowa in 2006. The traits collectively show measurable differences between the two varieties.

Exhibit B: Novelty Statement

Variety PHHHN has a lower ear height (64.9 cm vs 90.5 cm) than variety PH6HR (Table 1).

Variety PHHHN has a lower plant height (217.3 cm vs 253.8 cm) than variety PH6HR (Table 1).

Variety PHHHN has a greater tassel central spike length (29.5 cm vs 22.0 cm) than variety PH6HR (Table 1).

Variety PHHHN has fewer primary tassel branches (5.8 vs 10.2) than variety PH6HR (Table 1).

Exhibit B: Novelty Statement Table(s)

evidence for differences between PHHHN and PH6HR. Varieties were grown in 3 locations that had different environmental conditions. Environments had Table 1: Data from Johnston and Dallas Center, Iowa in 2006 presented by trait, across environments, and broken out by environment. Data are supporting different planting dates and were in different fields. A two-sample t-test was used to compare differences between means.

Ear height (cm)	:m)																
Level	Station Year		Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2		t-Value	Prob_Pool	- Contract
1. Over All		H	PHHHN	PH6HR	12	12	64.9	90.5	-25.6	6.053	7.846	1.563	2.026	28	-10.0	0.000	
3. Environ.	DSBN33DS20	F	PHHHN	PH6HR	cy.	2	0.09	91.0	-31.0	2.550	8.888	1.140	3.975	80	-7.5	0.000	
3. Environ.	DSYNJH0120	PH	PHHHN	PH6HR	Ŋ	2	65.2	83.6	-18.4	6.419	2.966	2.871	1.327	œ	-5.8	0.000	
3. Environ.	JHBNAP1420	H	PHHHN	PH6HR	2	5	9.69	0.76	-27.4	4.775	3.873	2.135	1.732	00	-10.0	0.000	
Plant height (cm)	(cm)																
Level	Station Year		Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool	
1. Over All		PH	PHHHN	PH6HR	15	15	217.3	253.8	-36.5	10.417	7.495	2.690	1.935	28	-11.0	0.000	
3. Environ.	DSBN33DS20	PH	PHHHN	<b>PH6HR</b>	2	2	207.2	253.4	-46.2	7.981	11.149	3.569	4.986	œ	-7.5	0.000	
3. Environ.	DSYNJH0120	F	PHHHN	<b>PH6HR</b>	2	5	218.8	252.4	-33.6	4.604	4.775	2.059	2.135	œ	-11.3	0.000	
3. Environ.	JHBNAP1420	H	PHHHN	PH6HR	2	5	226.0	255.6	-29.6	8.367	6.542	3.742	2.926	œ	-6.2	0.000	
sel centra	Tassel central spike length (cm)																
Level	Station Year		Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool	
1. Over All		PH	PHHHN	PH6HR	15	15	29.5	22.0	7.5	1.959	1.309	0.506	0.338	28	12.3	0.000	
3. Environ.	DSBN33DS20	PH	PHHHN	<b>PH6HR</b>	2	2	28.2	21.4	6.8	1.643	1.517	0.735	0.678	œ	6.8	0.000	
3. Environ.	DSYNJH0120	PH	PHHHN	PH6HR	2	2	29.2	22.6	9.9	1.789	0.548	0.800	0.245	œ	7.9	0.000	
3. Environ.	JHBNAP1420	H	PHHHN	PH6HR	2	2	31.0	22.0	9.0	1.581	1.581	0.707	0.707	80	0.6	0.000	
sel prima	Tassel primary branch (# of primary branches)	ry bran	(seyou														
Level	Station Year	Year Variety-1	riety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool	
1. Over All		PH	PHHHN	PH6HR	15	15	5.8	10.2	4.4	1.320	1.740	0.341	0.449	28	-7.8	0.000	
3. Environ.	DSBN33DS20	PH	PHHHN	PH6HR	2	5	5.4	12.0	-6.6	0.894	0.707	0.400	0.316	00	-12.9	0.000	
3. Environ.	DSYNJH0120	H	PHHHN	PH6HR	Ω	2	5.0	9.2	4.2	1.414	1.643	0.632	0.735	80	4.3	0.003	
3. Environ.	JHBNAP1420	H	PHHHN	PH6HR	2	2	7.0	9.4	-2.4	0.707	1.140	0.316	0.510	ω	4.0	0.004	

# United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351 OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s) Pioneer Hi-Bred Inte		I Variety Seed :	Source		I Variety I PHHHI		emporary De	esignation	)
and the second second second	o., or R.F.D. No., City, State, 2 nue, P.O. Box 85, Johnston,	CA CONTRACTOR CONTRACTOR DE	1	FOR OFFICIAL	. USE	#	2 0 0		03
adding leading zeroes	number that describes the visit is in ecessary. Completeness y for an adequate variety described in the completeness of the co	should be striven for to	establish a						
COLOR CHOICES (L	Jse in conjunction with Munse	ell color code to describe	all color o	hoices; describe	#25 and #	26 in Comr	nents section	1):	
01. Light Green	06. Pale Yellow	11, Pink	16. Pal	e Purple	21. Buff		26. Other (I	Describe)	
02. Medium Green	07. Yellow	12. Light Red	17. Pur	ple	22. Tan				
03. Dark Green	08. Yellow-Orange	13. Cherry Red	18. Col	orless	23. Brow	n			
04. Very Dark Green	n 09. Salmon	14. Red	19. Wh	ite	24. Bron:	ze			
05. Green-Yellow	10. Pink-Orange	15. Red & White	20. Wh	ite Capped	25. Varie	gated (Des	cribe)		
STANDARD INBRED	CHOICES [Use the most sin	nilar (in background and	maturity)	of these to make	compariso	ons based o	on grow-out to	rial data]:	_
Yellow Dent Familie	s:	Yellow Dent (Unrelated	):		Sweet Co				
	Members	Co109, ND246			C.	13, Iowa512	25, P39, 2132	2	
	CM105, A632, B64, B68	Oh7, T232							
	B37, B76, H84	W117, W153R			Popcorn:				
	N192, A679, B73, Nc268	W182BN				SG1533, 4	722, HP301,	HP7211	
	Mo17, Va102, Va35, A682								
	A619, MS71, H99, Va26	White Dent:			Pipecom				
WF9	W64A, A554, A654, Pa91	Cl66, H105, Ky	228		Me	o15W, Mo1	6W, Mo24W		
The second secon	intermediate types in "Comme et, 2=Dent, 3=Flint, 4=Flour, 5		Pipecorn)			ard Inbred Type	Name	MO17	100
	E DEVELOPED IN THE U.S.A est, 2=N.Central, 3=N.East, 4=		S.West, 7	=Other	I Stand	lard Seed S jion	Source	PI 55853	2
3. MATURITY (In Re	egion Best Adaptability; show	Heat Unit formula in "Co	omments"	section):	1			6	1
DAYS	HEAT UNITS	0 A-007-0 No. 10 0 0 0 10			1	DAYS	HEAT		
<u>61</u>	1,435.0 From emergence	According to the second			1	<u>63</u>		472.0	
<u>59</u>	1,374.0 From emergence		en		1	<u>58</u>	1	347.7	
2	67 From 10% to 90%				1	2		<u>58</u>	
	From 50% silk to	optimum edible quality			I				
	From 50% silk to	harvest at 25% moisture	Э		1		2=-		
4. PLANT:		S	t.Dev.	Sample Size	T.	Mean	St.Dev.	Sample	Size
217.3 cm Plan	t Height (to tassel tip)		10.42	<u>15</u>	1	223.4	5.51		15
	Height (to base of top ear noo	de)	6.05	<u>15</u>		86.7	5.31		15
	gth of Top Ear Internode		2.10	<u>15</u>		17.0	2.70		15
	Number of Tillers		0.00	3		0.0	0.00		3
	Number of Ears per Stalk	and the last	0.06	<u>3</u>	1	1.0	0.03		3
3 Anthocy	ranin of Brace Roots: 1=Abse	nt, 2=Faint, 3=Moderate,	4=Dark		1	<u>3</u>			
Application Variety I	Data		Page 1		I Stand	ard Inbred	Data		

Application Variety Data	Page 2	1	Standard Mbred	0 0 7	0036
5. LEAF	St.Dev.	Sample Size I	Mean	St.Dev.	Sample Size
9.4 cm Width of Ear Node Leaf	0.63	<u>15</u> I	9.0	0.65	15
77.5 cm Length of Ear Node Leaf	3.96	<u>15</u> I	64.3	4.51	15
5.7 Number of leaves above top ear	0.46	<u>15</u> I	5.3	0.70	15
25.9 Degrees Leaf Angle	2.69	15 I	29.3	3.42	15
(Measure from 2nd leaf above ear at anthesis	to stalk above leaf)				_
4 Leaf Color (Munsell Code) 7.5GY34		1	4 (Munse	II Code) 5G	/34
3 Leaf Sheath Pubescence (Rate on scale from	1=none to 9=like peach f	uzz) I	4		
Marginal Waves (Rate on scale from 1=none t		1	_		
Longitudinal Creases (Rate on scale from 1=n		I	_		
6. TASSEL:	St.Dev.	Sample Size 1	Moan	St.Dev.	Sample Size
			Mean		
5.8 Number of Primary Lateral Branches	1.32	<u>15</u> I	<u>5.7</u>	1.03	<u>15</u>
50.3 Degrees Branch Angle from Central Spike	14.70	<u>15</u> I	36.0	4.71	<u>15</u>
63.5 cm tassel Length	<u>3.11</u>	<u>15</u> I	<u>62.5</u>	3.94	<u>15</u>
(from top leaf collar to tassel tip)		1			
5 Pollen Shed (Rate on scale from 0=male steri	le to 9=heavy shed)	I	<u>6</u>		Lucio
1 Anther Color (Munsell Code) 10Y86		I		ell Code) 2.50	4 T
2 Glume Color (Munsell Code) 2.5GY66		1	2 (Munse	ell Code) 5GY	/58
1 Bar Glumes (Glume Bands): 1=Absent, 2=Pre	esent	1	1		
7a. EAR (Unhusked Data):		. 1			
6 Silk Color (3 days after emergence) (Munsell	Code) <u>7.5</u>	Y86	1 Munse	II Code 2.50	3Y86
2 Fresh Husk Color (25 days after 50% silking)	(Munsell Code) 5G	Y68 I	2 Munse	Il Code 5GY	/68
21 Dry Husk Color (65 days after 50% silking) (N	Munsell Code) 2.5	Y8.54 I	21 Munse	Il Code 2.5	78.54
1 Position of Ear at Dry Husk Stage: 1=Upright			1	27.7	
5 Husk Tightness (Rate on scale from 1=very le	oose to 9=very tight	1	<u>7</u>		
2 Husk Extension (at harvest): 1=Short(ears ex	posed), 2=Medium (<8cm	n), 3=Long (8- I	2		
10cm beyond ear tip), 4=Very Long (>10cm)		- 1			
7b. EAR (Husked Ear Data)	St. Dev.	Sample Size 1	Mean	St.Dev.	Sample Size
18.6 cm Ear Length	0.63	<u>15</u> I	18.3	1.05	15
46.1 mm Ear Diameter at mid-point	1.25	15 I	36.9	1.33	15
146.0 gm Ear Weight	9.46	<u>15</u> I	97.4	11.49	15
16.5 Number of Kernel Rows	1.60	15 I	10.7	0.98	15
2 Kernel Rows: 1=Indistinct, 2=Distinct	1.00	10 1		0.50	10
_	d 2-Cnirol		2		
1 Row Alignment: 1=Straight, 2=Slightly Curved		15 1	1	4 05	45
10.0 cm Shank Length	1.00	<u>15</u> I	<u>9.5</u>	1.85	<u>15</u>
2 Ear Taper: 1=Slight cyl., 2=Average slightly c	on., 3-Extreme conical		2		
8. KERNEL (Dried):	St.Dev.	Sample Size I	Mean	St.Dev.	Sample Size
11.7 mm Kernel Length	0.62	<u>15</u> I	10.7	0.46	15
8.0 mm Kernel Width	0.38	<u>15</u> I	8.8	0.68	15
4.5 mm Kernel Thickness	0.52	<u>15</u> I	<u>4.8</u>	0.68	15
27.6 % Round Kernels (Shape Grade)	6.16	<u>3</u> 1	58.3	17.84	3
1 Aleurone Color Pattern: 1=Homozygous, 2=S	Segregating (describe)	1	1 (descri	be)	
7 Aleurone Color (Munsell Code)	10YR814	1	7 Munse	Il Code 1	0YR814
7 Hard Endosperm Color (Munsell Code)	10YR814	1	7 Munse	Il Code 1	0YR714
3 Endosperm Type: 1=Sweet(su1), 2=Extra Sw	eet(sh2), 3=Normal Stard	h, 4=High	3 (descri		
Amylose Starch, 5=Waxy Starch, 6=High Pro	tein, 7=High Lysine, 8=Su	per Sweet I			
(se), 9=High Oil, 10=Other		N			
23.0 gm Weight per 100 kernels (unsized sample)	1.00	<u>3</u> I	32.7	2.08	<u>3</u>
9. COB:	St.Dev.	Sample Size 1	Mean	St.Dev	Sample Size
24.9 mm Cob Diameter at mid-point	1.68	<u>15</u> I	19.3	0.72	15
10 Cob Color (Munsell Code)	10R68		11 Munsell		VR56

11 Munsell Code

Standard Inbred Data

2.5YR56

10R68

10 Cob Color (Munsell Code)

Application Variety Data

Application Variety Data	Page 3	1 3	# Z U U / U U J Standard Inbred Data
10. DISEASE RESISTANCE (Rate from 1(most susceptible) to	9 (most resistant); leave blank	1	
if not tested; leave Race or Strain Options blank if polygenic):		1	
A. Leaf Blights, Wilts, and Local Infection Diseases		1	
_ Anthracnose Leaf Blight (Colletotrichum graminicola)		1	_ Anthracnose Leaf Blight
Common Rust (Puccinia sorghi)		1	Common Rust
9 Common Smut (Ustilago maydis)		1	_ Common Smut
Eyespot (Kabatiella zeae)		1	Eyespot
Goss's Wilt (Clavibacter michiganense spp. nebrasker	nsis)	1	Goss's Wilt
5 Gray Leaf Spot (Cercospora zeae-maydis)		1	4 Gray Leaf Spot
_ Helminthosporium Leaf Spot (Bipolaris zeicola)	Race	1	_ Helminthosporium Leaf Spot Race_
6 Northern Leaf Blight (Exserohilum turcicum)	Race	1	6 Northern Leaf Blight Race_
5 Southern Leaf Blight (Bipolaris maydis)	Race	1	Southern Leaf Blight Race_
Southern Rust (Puccinia Polysora)		1	Southern Rust
7 Stewart's Wilt (Erwinia stewartii)		1	6 Stewart's Wilt
Other (Specify)		1	_ Other (Specify)
B. Systemic Diseases		1	
Corn Lethal Necrosis (MCMV and MDMV)		1	Corn Lethal Necrosis
5 Head Smut (Sphacelotheca reiliana)		1	9 Head Smut
_ Maize Chlorotic Dwarf Virus (MCDV)		1	_ Maize Chlorotic Dwarf Virus
_ Maize Chlorotic Mottle Virus (MCMV)		1	_ Maize Chlorotic Mottle Virus
Maize Dwarf Mosaic Virus (MDMV) Str	rain	1	Maize Dwarf Mosaic Virus Strain
_ Sorghum Downy Mildew of Corn (Peronosclerospora	sorghi)	1	_ Sorghum Downy Mildew of Corn
Other (Specify)		1	_ Other (Specify)
C. Stalk Rots		1	
3 Anthracnose Stalk Rot (Colletotrichum graminicola)		1	3 Anthracnose Stalk Rot
_ Diplodia Stalk Rot (Stenocarpella maydis)		1	_ Diplodia Stalk Rot
_ Fusarium Stalk Rot (Fusarium moniliforme)		1	_ Fusarium Stalk Rot
_ Gibberella Stalk Rot (Gibberella zeae)		1	_ Gibberella Stalk Rot
Other (Specify)		1	Other (Specify)
D. Ear and Kernel Rots		1	
_ Aspergillus Ear and Kernel Rot (Aspergillus flavus)		1	_ Aspergillus Ear & Kernel Rot
4 Diplodia Ear Rot (Stenocarpella maydis)		1	3 Diplodia Ear Rot
6 Fusarium Ear and Kernel Rot (Fusarium moniliforme)	)	1	6 Fusarium Ear & Kernel Rot

Note: Use chart on first page to choose color codes for color traits.

Gibberella Ear Rot (Gibberella zeae)

\_ Other (Specify)\_\_

Gibberella Ear Rot

I Other (Specify)\_

Application	Variety	Data	
-------------	---------	------	--

_				
P	a	~	0	1
	a	ч	0	•

1. INSECT RESISTANCE (Rate from 1(most susceptible) to 9 (r	nost resistar	nt). I eave blank	1	
if not tested	St. Dev.	Sample Size	i	St. Dev. Sample
Banks Grass Mite (Oligonychus pratensis)	01. 001.	odinpio oizo	i	Banks Grass Mite
Corn Earworm (Helicoverpa zea)			i	Corn Earworm
Leaf Feeding			1	_ Leaf Feeding
Silk Feeding . mg larval wt.			1	_ court coding
	-		1	Ear Damage
_ Ear Damage			i	_ Corn Leaf Aphid
Corn Sep Reatle (Carpophilus dimidiatus)			- 1	_ Corn Sap Beetle
Corn Sap Beetle (Carpophilus dimidiatus)			4	European Corn Borer
European Corn Borer (Ostrinia nubilalis)			3.	1 st Generation
1 st Generation (Typically Whorl Leaf Feeding)				
2 nd Generarion (Typically Leaf Sheath-Collar Feeding)			- 1	_ 2 nd Generation
Stalk Tunneling:cm tunneled/plant		-	. !	
Fall Armyworm (Spodoptera frugiperda)			1	Fall Armyworm
_ Leaf-Feeding			- 1	_ Leaf-Feeding
Silk-Feeding, _mg larval wt.			1	
_ Maize Weevil (Sitophilus zeamais)			1	_ Maize Weevil
<ul> <li>Northern Rootworm (Diabrotica barberi)</li> </ul>			1	_ Northern Rootworm
<ul> <li>Southern Rootworm (Diabrotica undecimpunctata)</li> </ul>			1	_ Southern Rootworm
Southwestern Corn Borer (Diatraea grandiosella)			- 1	Southwestern Corn Borer
_ Leaf Feeding			1	_ Leaf Feeding
Stalk Tunneling:cm tunneled/plant			1	
_ Two-spotted Spider Mite (Tetranychus urticae)			- 1	_ Two-spotted Spider Mite
Western Rootworm (Diabrotica virgifera virgifera)			1	_ Western Rootworm
Other (Specify)			1	Other (Specify)
AGRONOMIC TRAITS:			1	
5 Stay Green (at 65 days after anthesis) (Rate on scale from	om 1=worst t	to 9=excellent)	1	4 Stay Green
% Dropped Ears (at 65 days after anthesis)			1	% Dropped ears
_ % Pre-anthesis Brittle Snapping			1	_ % Pre-anthesis Brittle Snapping
2 % Pre-anthesis Root Lodging			1	5 % Pre-anthesis Root Lodging
% Post-anthesis Root Lodging (at 65 days after anthesis	3)		1	Post-anthesis Root Lodging
7,586.0 Kg/ha Yield of Inbred Per Se (at 12-13% grain m			1	4,263.0 Yield
MOLECULAR MARKERS: (0=data unavailable; 1=data availa	ble but not s	upplied: 2=data s	supplied.)	
1 Isozymes RFLP's	_ RAPD'			Other (Specify)
FERENCES:				137
itler, D.R. 1954. A System for the Classification of Corn Inbred	Lines. PhD T	Thesis, Ohio Univ	ersity.	
merson, R.A., G.W. Beadle, and A.C. Fraser, 1935. A summary				A.E.S., Mem. 180.
rr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi	on Plant Pro	oducts in the Unit	ted States	s. The American Phytopathological
ociety, St. Paul, MN.				
glett, G.E. (Ed) 1970. Corn: Culture, Processing, Products. Avi	Publishing C	ompany, Westpo	int, CT.	
genheimer, R.W. 1976. Corn: Improvement, Seed Production,	and Uses. Jo	ohn Wiley & Sons	s, New Yo	ork.
cGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 15	50 pp.			
unsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. No		Y. 12551-0230		
ne Mutants of Maize. 1968. Crop Science Society of America. M		AN ARREST STATES		
nurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press		N. 105 pp.		
orague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn li			gronomy	Monograph 18, ASA, CSSA, SSSA
adison WI			, , , ,	

COMMENTS (e. g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D) Insect, disease, brittle snapping and root lodging data are collected mainly from environment where variability for the trait can be obtained within the experiment.

Stringfield, G.H. Maize Inbred Lines of Ohio A.E.S., Bul. 831. 1959.

U.S. Department of Agriculture 1936, 1937. Yearbook.

#### CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and Dallas Center, Iowa. The data in Tables 1A and 1B are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in exhibit B collectively show distinct differences between the two varieties.

Our experimental design was set up in a typical complete block design commonly used in agricultural corn research experiments with one replication grown at each location. The experiment procedures generally involve three locations/environments with different planting dates, planted in 17.42 ft. rows with 2 rows for each variety. Approximately 24-30 plants emerged in each of 2 rows for a total of around 48 to 60 plants being evaluated at each location and 144 to 180 plants across locations. For plant level traits, we sampled 5 representative plants from the 2 rows of the 2 row plot (group) of plants at each location. For plot level traits we evaluated the 2 row plot (group) and gave a representative score or average on the 48-60 plants in the group within an experiment.

Month	GRO	WING DEGRE	E UNITS (G	DU's)		<b>PRECIPITATI</b>	ON (Inches	)
Month	20	005	20	006	20	005	20	006
	Dallas Center	Johnston	Dallas Center	Johnston	Dallas Center	Johnston	Dallas Center	Johnston
May	356	388	390	460	5.04	6.63	1.23	1.22
June	677	729	643	667	1.52	6.85	0.37	1.08
July	711	788	779	816	2.84	5.02	5.19	5.39
August	626	725	671	754	2.31	1.98	5.85	4.7
September	526	585	361	417	2.01	2.81	4.59	3.98
TOTAL	2896	3215	2844	3114	13.72	23.29	17.23	16.37

	PLA	NTING DA	TES
YEAR	DC	JH-1	JH-2
2005	6-May	3-May	10-May
2006	12-May	4-May	10-May

#### Calculate GDU's

Growing Degree Units use the following formula: GDU = ((T1+T2)/2)-50

- Where T1 = minimum temperature for a given day with 50 degrees Fahrenheit as the minimum temperature used and 86 degrees Fahrenheit is the maximum temperature used.
- Where T2 = maximum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used and 50 degrees Fahrenheit is the minimum temperature used.

GDU"s are calculated each day and accumulated (summed) over certain number of days.

NOTE: In general, cases where less than 10 observations are presented the trait was collected at the plot level as it has been done in the past. This means many more plants were visually evaluated according to the procedure outlined above, and then a score of the "population" of the plants was recorded for each location. We have adjusted our current process to sample at least 15 plants for plant-level traits at a location.

8. Does the applicant own all rights to the variety? Mark an "X" in the appropriate block. If no, please explain: X YES NO

9.Is the applicant (individual or company)	a U.S. nation	al or a U	J.S. based company? If no, give name of country.   YES  NO	
10. Is the applicant the original owner?			O If no, please answer one of the following:	17.7
a. If the original rights to variety w	ere owned by	individua	al(s), is (are) the original owner(s) a U.S. National(s)?	
	☐ YES	□ NO	O If no, give name of country	
b. If the original rights to variety w	ere owned by	a compa	any(ies), is (are) the original owner(s) a U.S. based company?	
			O If no, give name of country	

11. Additional explanation on ownership (Trace ownership from original breeder to current owner. Use the reverse for extra space if needed):

Pioneer Hi-Bred International, Inc. (PHI), Des Moines, Iowa, and/or its wholly owned subsidiary Pioneer Overseas Corporation (POC), Des Moines, Iowa, is the employer of the plant breeders involved in the selection and development of PHHHN. Pioneer Hi-Bred International and/or Pioneer Overseas Corporation has the sole rights and ownership of PHHHN pursuant to written contracts that assign all rights in the variety to PHI and/or POC at the time such variety was created. No rights to this variety are retained by any individuals.

#### PLEASE NOTE:

Plant variety protection can only be afforded to the owners (not licensees) who meet the following criteria:

- If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14<sup>th</sup> and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity provider and employer.



Form Approved OMB NO 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal employment opportunity provide and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

### EXHIBIT F DECLARATION REGARDING DEPOSIT

NAME OF OWNER (S) Pioneer Hi-Bred International, Inc.	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 7301 NW 62 <sup>nd</sup> Avenue Johnston, IA 50131-0085	TEMPORARY OR EXPERIMENTAL DESIGNATION
		VARIETY NAME PHHHN
NAME OF OWNER REPRESENTATIVE (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	FOR OFFICIAL USE ONLY
Steven R. Anderson	7301 NW 62 <sup>nd</sup> Avenue Johnston, IA 50131-0085	#200700360

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

Signature

Date